

[Name of document] ABSTRACT

[Abstract]

[Problem] Reducing rotational oscillation of a polygon mirror during high-speed rotation.

5        [Solving means] A stator 24 is fixed to a protrusion 21a of a base 21, and a fixed shaft 25 is fixed in a hole 21b of the protrusion. A housing 27 is rotatably mounted on ball bearings 26 further mounted on the fixed shaft 25. A polygon mirror 28 is fixed to an upper portion of the housing 27, and a rotor yoke 31 is fixed to a lower portion of the housing. A rotor  
10 magnet 32 is fixed to the rotor yoke 31 so as to be opposed to the stator core 22. The housing 27, polygon mirror 28, rotor yoke 31 and rotor magnet 32 constitute a rotor assembly 33. A balancing groove 30 is defined in a boundary between the housing 27 and the polygon mirror 28. The bottom of the groove 30 is substantially coplanar with a plane  
15 involving the center of gravity G of the rotor assembly 33.

[Selected figure] FIG. 1

[Name of document] DATA OF OFFICIAL CORRECTION

[Corrected document] REQUEST FOR PATENT

<Acknowledged or added information>

5 [Patent applicant]

[Identification number] 000003078

[Address/Residence] 72 Horikawa-cho, Saiwai-ku, Kawasaki  
Kanagawa

[Name] KABUSHIKI KAISHA TOSHIBA

10 [Agent] Petitioner

[Identification number] 100071135

[Address/Residence] Nissan Seimeikan Building  
6-15 Sakae 4-chome, Naka-ku, Nagoya, Aichi

[Name] Tsuyoshi Sato

INFORMATION ABOUT RECORD OF APPLICANT

Identification number [000003078]

5 1. Date of change 22nd August 1990

[Reason for change] Newly registered

Address: 72 Horikawa-cho, Saiwai-ku, Kawasaki  
Kanagawa

Name: KABUSHIKI KAISHA TOSHIBA